PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT) (51) International Patent Classification 6: WO 00/09561 (11) International Publication Number: C07K 16/24, 16/28 A1 (43) International Publication Date: 24 February 2000 (24.02.00) (21) International Application Number: PCT/AU99/00659 (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, (22) International Filing Date: 13 August 1999 (13.08.99) ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, (30) Priority Data: SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, PP 5251 13 August 1998 (13.08.98) ΑU SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, (71) Applicant (for all designated States except US): MEDVET DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SCIENCE PTY. LTD. [AU/AU]; IMVS Building, Level 3 SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, South Wing, Frome Road, Adelaide, S.A. 5000 (AU). ML, MR, NE, SN, TD, TG). (72) Inventors; and (75) Inventors/Applicants (for US only): LOPEZ, Angel [AU/AU]: **Published** Hanson Centre for Cancer Research, Institute of Medical and With international search report. Veterinary Science, Division of Human Immunology, Frome

(74) Agent: A.P.T. PATENT & TRADE MARK ATTORNEYS: G.P.O. Box 772, Adelaide, S.A. 5001 (AU).

Road, Adelaide, S.A. 5000 (AU). D'ANDREA, Richard [AU/AU]; Hanson Centre for Cancer Research, Institute of Medical and Veterinary Science, Division of Human Immunology, Frome Road, Adelaide, S.A. 5000 (AU).

(54) Title: MONOCLONAL ANTIBODY INHIBITOR OF GM-CSF, IL-3, IL-5 AND OTHER CYTOKINES, AND USES THEREOF

(57) Abstract

A method of isolating a monoclonal antibody capable of inhibiting any one of IL-3, GM-CSF and IL-5 binding to the common receptor θ_c , or a monoclonal antibody capable of inhibiting the cytokines binding to a receptor analogous to θ_c . The method includes the steps of immunising an animal with a cytokine receptor or portion of a cytokine containing the critical binding site which portion includes the extracellular domain 4 or analogous domain in the analogous common receptor or part thereof. Antibodies producing cells from the animal are then isolated and fused with a myeloma cell line and then screened for a cell line that produces an antibody of the desired type. A monoclonal antibody, or fragments thereof capable of inhibiting the binding of the cytokines IL-3, GM-CSF and IL-5 to the θ_c receptor, and a hybridoma cell line producing the antibody are also claimed.